Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012

Page: 1/6



1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK PHOTO-FLO 200 Solution

Product code: 1464510

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

Synonyms: PCD 3107

Product Use: Film or paper manufacturing chemical, For industrial use only.

2. Hazards identification

CONTAINS: Octylphenoxypolyethoxyethanol (9036-19-5)

WARNING!

CAUSES EYE IRRITATION
PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION
THE TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN FULLY INVESTIGATED

HMIS III Hazard Ratings: Health - 2, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
25 - 30	Propylene glycol (57-55-6)
5 - 10	Octylphenoxypolyethoxyethanol (9036-19-5)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. If easy to do, remove contact lens, if worn.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012

Page: 2/6



Ingestion: Get medical attention if symptoms occur.

5. Fire-fighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products: Carbon oxides

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid prolonged or repeated breathing of mist or vapour. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls: Not established

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012

Page: 3/6

Kodak

Odour: odourless

Specific gravity: 1.028

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 7.0

Flash point: does not flash

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Octylphenoxypolyethoxyethanol. The toxicological properties of this material have not been fully investigated and its handling and use may be hazardous.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes eye irritation.

Skin: Prolonged or repeated contact may dry skin and cause irritation.

Ingestion: Expected to be a low ingestion hazard.

Acute Toxicity Data:

Oral LD50 (rat): 5,000 mg/kg Skin irritation: slight Eye irritation: moderate

12. Ecological information

Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012



Page: 4/6

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 10 - 100 mg/l

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): ca. 201 g/l

Biochemical Oxygen Demand (BOD): ca. 377 g/l

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

Notification status

15. Regulatory information

Notification status

Regulatory List

Regulatory List	Motimoation Status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	Listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012

Page: 5/6



Section 5209 Carcinogens List.

Other regulations

ther regulations	
American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting requirements.
U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	No components of this product are subject to the SARA Section 313 (40 CFR 372.65) reporting requirements.
U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Octylphenoxypolyethoxyethanol
U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S California - 8 CCR Section 5209 Carcinogens:	No components found on the California

Revision Date: 12/06/2011 Z17000000021/Version: 1.7 Print Date: 04/20/2012

Page: 6/6

Kodak

U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):

No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.

U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):

Propylene glycol

U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):

Propylene glycol

U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A): Water, Propylene glycol, Octylphenoxypolyethoxyethanol

U.S. - Rhode Island - Title 28 Labor and Labor Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):

Propylene glycol

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK PHOTO-FLO 200 Solution

CONTAINS: Octylphenoxypolyethoxyethanol (9036-19-5).

WARNING! CAUSES EYE IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION. THE TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN FULLY INVESTIGATED.

Avoid prolonged or repeated breathing of mist or vapour. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. **FIRST AID:** If inhaled, remove to fresh air. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. Wash off with soap and water. Get medical attention if symptoms occur. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Propylene glycol (57-55-6), Polyethylene glycol (25322-68-3).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012

Page: 1/6



1. Identification of the substance/preparation and of the company/undertaking

Product name: KODAK PHOTO-FLO 200 Solution, Working Solution

Product code: 1464510 - Working Solution

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

Synonyms: None.

Product Use: Film or paper manufacturing chemical, For industrial use only.

2. Hazards identification

EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING

HMIS III Hazard Ratings: Health - 1, Flammability - 0, Reactivity (Stability) - 0

NFPA Hazard Ratings: Health - 1, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight % Components - (CAS-No.)

100 Non-Hazardous Components (proprietary)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: Get medical attention if symptoms occur.

5. Fire-fighting measures

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012

Page: 2/6



Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special Fire-Fighting Procedures: None (noncombustible)

Hazardous Combustion Products: None (noncombustible)

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with inert material, then place in a chemical waste container. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid prolonged or repeated breathing of mist or vapour. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Prevention of Fire and Explosion: No special technical protective measures required.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls: Not established

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: liquid

Colour: no data available

Odour: no data available

Specific gravity: no data available

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012 Kodak

Page: 3/6

Vapour pressure: no data available

Vapour density: no data available

Volatile fraction by weight: 95 - 100 %

Boiling point/boiling range: no data available

Water solubility: soluble

pH: no data available

Flash point: does not flash

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: None with common materials and contaminants with which the material may reasonably come into contact.

Hazardous decomposition products: None under normal conditions of use.

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: No specific hazard known. May cause transient irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Expected to be a low ingestion hazard.

12. Ecological information

Potential Toxicity:

Not expected to adversely effect aquatic organisms.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012

Page: 4/6



Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

[&]quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012

Page: 5/6



California Prop. 65

- U.S. CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):
- U.S. CERCLA/SARA Section 302 (40 CFR § 355
 Appendices A and B The List of Extremely Hazardous
 Substances and Their Threshold Planning Quantities):
- U.S. CERCLA/SARA Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):
- U.S. California 8 CCR Section 339 Director's List of Hazardous Substances:
- U.S. California 8 CCR Section 5200-5220 Specifically Regulated Carcinogens:
- U.S. California 8 CCR Section 5203 Carcinogens:
- U.S. California 8 CCR Section 5209 Carcinogens:
- U.S. Massachusetts General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):
- U.S. Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):
- U.S. New Jersey Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):
- U.S. Pennsylvania Part XIII. Worker and Community Right-to-Know Act (Chapters 301-323):
- U.S. Rhode Island Title 28 Labor and Labor Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):

or potential carcinogen by OSHA.

- This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.
- No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting requirements.
- No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
- No components of this product are subject to the SARA Section 313 (40 CFR 372.65) reporting requirements.
- No components found on the California Director's List of Hazardous Substances.
- No components found on the California Specifically Regulated Carcinogens List.
- No components found on the California Section 5203 Carcinogens List.
- No components found on the California Section 5209 Carcinogens List.
- No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.
- No components found on the Minnesota Employee Right-to-Know List of Hazardous Substances.
- No components regulated under the New Jersey Worker and Community Right-to-Know Act.
- No components regulated under the Pennsylvania Worker and Community Right-to-Know Act.
- No components regulated under the Rhode Island Hazardous Substance Right-to-Know Act.

Revision Date: 10/30/2009 000000025750/Version: 1.1 Print Date: 04/20/2012

Page: 6/6



16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK PHOTO-FLO 200 Solution, Working Solution EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING.

Avoid prolonged or repeated breathing of mist or vapour. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. FIRST AID: If inhaled, remove to fresh air. Any material that contacts the eye should be washed out immediately with water. Wash off with soap and water. Get medical attention if symptoms occur. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. IN CASE OF FIRE: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. IN CASE OF SPILL: Absorb spill with inert material, then place in a chemical waste container. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-0, C-0